

# TikTok Ads Third-Party Tracking Instructions for Global Reservation Ads

Updated: 2020.05.06



**TikTok**

# Introduction

TikTok Ads has integrated with leading measurement platforms to provide our clients with the capability to successfully track campaign metrics and gauge performance. Currently TikTok reservation ads accept impression and click tracking for standard ad placements.

This document outlines key information including but not limited to the types and examples of tags accepted, and frequently asked questions. This document will be updated non-periodically, for latest versions please check with your ad ops contact.

TikTok Ads reserves all the right of final interpretation.



# Discrepancy

In the event where discrepancy were larger than the normal maximum range, TikTok Ads would work with advertisers and measurement partners to investigate, only under the circumstance that client was using tags from one of the certified measurement partners listed in this document. **Discrepancy calculation:**

$$\text{Discrepancy} = (\text{TikTok Ads data} - \text{Third-party data}) / \text{TikTok Ads data} * 100\%.$$

# Basic Parameter Requirements

We use macros to communicate information in the tracking URL calls. Please generate the link according to the requirements and sample tags listed below.

- Parameters are separated by “&” or “;”. Not all parameters in the sample are required, please refer to each partner's guide.
- If the tag contains cache buster parameter, such as [timestamp] or [CACHEBUSTER], or [INSERT CACHEBUSTER] please modify it into \_\_TS\_\_ for TikTok ad server to expand proper values. Please make sure all parameters are in the correct upper or lower case as indicated by the samples.
- Parameters that need to be expanded by TikTok server would be in the format of \_\_MACRO\_\_(double underscores before and after). Parameters listed below are expandable dynamic parameters supported by TikTok Ads. For partners who accept server-to-server (S2S) integration, these parameters will be generated automatically by the partners' system. For partners who only accept client-to-server (C2S) integration, clients can add any of the below to the custom parameters provided by the partner to allow for more dimensions of reporting.

Name	Format
Ad name	__AID_NAME__
Ad ID	__AID__
Campaign name	__CAMPAIGN_NAME__
Campaign ID	__CAMPAIGN_ID__
Creative name	__CID_NAME__
Creative ID	__CID__

# Measurement Partners

Partners	Supported ad placements						Supported actions		
	TikTok, Helo			BuzzVideo		Vigo, Ulike, Babe/Babe+	Impression	Click	
	Takeover	In-Feed	TopView	Takeover	In-Feed	Takeover	C2S	C2S	S2S
<a href="#">AppsFlyer</a>	✓	✓	✓	✓	✓	✓	✓	✗	✓
<a href="#">Adjust</a>	✓	✓	✓	✓	✓	✓	✓	✗	✓
<a href="#">Double Click</a>	✓	✓	✓	✓	✓	✓	✓	✓	✗
<a href="#">Sizmek</a>	✓	✓	✓	✓	✓	✓	✓	✓	✗
<a href="#">Kochava</a>	✓	✓	✓	✓	✓	✓	✓	✗	✓
<a href="#">Branch</a>	✓	✓	✓	✓	✓	✓	✓	✗	✓
<a href="#">FlashTalking</a>	✓	✗	✓	✓	✗	✓	✓	✓	✗
<a href="#">Adform</a>	✓	✗	✓	✓	✗	✓	✓	✓	✗
<a href="#">Singular</a>	✓	✓	✓	✓	✓	✓	✓	✗	✓
<a href="#">Tenjin</a>	✓	✓	✓	✓	✓	✓	✓	✗	✓

Note: ✗ stands for partially supported

Adform & FlashTalking can only support impression and click tracking for Takeover, Topview, and In-Feed landing page, they can't support impression and click tracking for In-Feed click out to app download page.



## Sample Tracking Tag

**For Takeover, TopView, In-Feed of landing page, In-Feed of app download**

- iOS Impression Tracking Tag

```
https://impression.appsflyer.com/id578915438?af_siteid=__CSITE__&af_channel=__PLACEMENT__&c=__CAMPAIGN_NAME__&af_c_id=__CAMPAIGN_ID__&af_adset=__AID_NAME__&af_adset_id=__AID__&af_ad=__CID_NAME__&af_ad_id=__CID__&af_ad_type=__CTYPE__&pid=bytedanceglobal_int&af_viewthrough_lookback=1d&clickid=__CALLBACK_PARAM__&advertising_id=__GAID__&idfa=__IDFA__&os=__OS__&af_ip=__IP__&af_ua=__UA__&af_lang=__SL__&redirect=false
```

- iOS Click Tracking Tag

```
https://app.appsflyer.com/id578915438?af_siteid=__CSITE__&af_channel=__PLACEMENT__&c=__CAMPAIGN_NAME__&af_c_id=__CAMPAIGN_ID__&af_adset=__AID_NAME__&af_adset_id=__AID__&af_ad=__CID_NAME__&af_ad_id=__CID__&af_ad_type=__CTYPE__&pid=bytedanceglobal_int&af_click_lookback=7d&clickid=__CALLBACK_PARAM__&advertising_id=__GAID__&idfa=__IDFA__&os=__OS__&af_ip=__IP__&af_ua=__UA__&af_lang=__SL__&redirect=false
```

- Android Impression Tracking Tag

```
https://impression.appsflyer.com/com.king.candycrushsaga?af_siteid=__CSITE__&af_channel=__PLACEMENT__&c=__CAMPAIGN_NAME__&af_c_id=__CAMPAIGN_ID__&af_adset=__AID_NAME__&af_adset_id=__AID__&af_ad=__CID_NAME__&af_ad_id=__CID__&af_ad_type=__CTYPE__&pid=bytedanceglobal_int&af_viewthrough_lookback=1d&clickid=__CALLBACK_PARAM__&advertising_id=__GAID__&idfa=__IDFA__&os=__OS__&af_ip=__IP__&af_ua=__UA__&af_lang=__SL__&redirect=false
```

- Android Click Tracking Tag

```
https://app.appsflyer.com/com.king.candycrushsaga?af_siteid=__CSITE__&af_channel=__PLACEMENT__&c=__CAMPAIGN_NAME__&af_c_id=__CAMPAIGN_ID__&af_adset=__AID_NAME__&af_adset_id=__AID__&af_ad=__CID_NAME__&af_ad_id=__CID__&af_ad_type=__CTYPE__&pid=bytedanceglobal_int&af_click_lookback=7d&clickid=__CALLBACK_PARAM__&advertising_id=__GAID__&idfa=__IDFA__&os=__OS__&af_ip=__IP__&af_ua=__UA__&af_lang=__SL__&redirect=false
```

# AppsFlyer

## Field Explanation

Field	Description	If required		
https://impression.appsflyer.com/	Domain name for impression tracking	✓		
https://app.appsflyer.com/	Domain name for click tracking	✓		
id1139683379?	iOS landing page ID or install package ID, generated automatically	✓		
com.droidhang.ad?	Android landing page ID or install package ID, generated automatically	✓		
Parameter	Description	Default value	If customizable	If required
c	Campaign name	__CAMPAIGN_NAME	✓	✓
af_c_id	Campaign ID	__CAMPAIGN_ID__	✓	✓
af_adset	Ad name	__AID_NAME__	✓	✓
af_adset_id	Ad ID	__AID__	✓	✓
af_ad	Creative name	__CID_NAME__	✓	✓
af_ad_id	Creative ID	__CID__	✓	✓
af_siteid	Ad placement	__CSITE__	✓	
af_ad_type	Creative type	__CTYPE__	✓	
af_prt	Agency Account Name	N/A	✓	
pid	Media source name	bytedanceglobal_int		✓
af_channel	App name (TT, Helo,Vigo, Pangle)	__PLACEMENT__	✓	
af_click_lookback	Click attribution window, 1-30 days, recommend (default) 7 days	7d	✓	
af_viewthrough_lookback	Impression attribution window, 1h-7d, recommend(default) 1 day	1d	✓	
clickid	The Ad network unique click identifier	__CALLBACK_PARAM		✓
advertising_id	Google Advertising ID	__GAID__		✓
idfa	iOS device identifier	__IDFA__		✓

# AppsFlyer

## Field Explanation

Parameter	Description	Default value	If customizable	If required
<b>os</b>	Operating system 0-Android / 1-iOS / 2- WP / 3-Others	<code>_OS_</code>		
<b>af_ip</b>	The IP of the Device	<code>_IP_</code>		✓
<b>af_ua</b>	Device User Agent	<code>_UA_</code>		✓
<b>af_lang</b>	Device Language	<code>_SL_</code>		✓
<b>redirect</b>	When set to false, parameters that are on the tracking link are not forwarded to the redirected page	false		✓

## Setup Guide and Notes

### Setup Guide :

Go to the measurement partner's dashboard and click on Integrated Partners on the left bar. Enter "TikTok Ads(Bytedance Global)" in the search field and click on the logo next to TikTok Ads(Bytedance Global) to open ByteDance's configuration window and generate the tracking tag.

### Notes :

1. In compliance with GDPR, the AppsFlyer tracking tag will not be used for tracking non-personalized ads running in Europe.
2. AppsFlyer is a CCPA compliant partner and can be used for tracking ads running in the US.
3. For Brand Takeover, Topview and in feed ads of landing page, please follow the sample of either iOS or Android. In this way, you could still receive the total data of impression and click in aggregation, not separable by iOS or Android. For in feed ads of app download, please follow the sample of iOS and Android respectively. For Brand Takeover, Topview and In-Feed ads of landing page, if the ad groups for Android and IOS are set up separately, and client sends us tracking url for Android & IOS separately, then it is possible to track the imp & clk separately for Android & IOS.



## Setup Guide and Notes

### Notes :

4. Device ID matching is the primary attribution method, when missing IDFA or GAID macro, AppsFlyer would match the click ID with the IP and UA. Attribution parameters support postback but do not support troubleshooting.
5. The agency account dashboard allows similar viewing capabilities to the Advertiser's dashboard after adding `<af_prt=[agencyname]>` anywhere in the tracking tag.
  1. Parameter `<af_prt=[agencyname]>` will be included in initial link generated from agency's account.
  2. Parameter `<af_prt=[agencyname]>` won't be included in initial link generated from Advertiser's account, in this case we suggest that agency manually add this parameter into the tracking tag.
6. TikTok Ads has completed S2S integration with AppsFlyer, click data will be transmitted via S2S.
7. By default, an install would be ignored if AppsFlyer already logged a previous install on the same device within the last 90 days. The only exception is if the device is on the whitelist, in which case all installs from this device would be considered "new installs".  
Guide: [Whitelisting a Test Device](#).
8. Further questions please refer to: [AppsFlyer Help Center](#).

# Adjust

# Sample Tracking Tag

For Takeover, TopView, In-Feed of landing page, In-Feed of app download

- Impression Tracking Tag (For iOS and Android)

```
https://s2s.adjust.com/impression/abc123?campaign=__CAMPAIGN_NAME__%26__CAMPAIGN_ID__&adgroup=__AID_NAME__%26__AID__-__PLACEMENT__&creative=__CID_NAME__%26__CID__&s2s=1&idfa=__IDFA__&gps_adid=__GAID__&android_id=__ANDROIDID1__&ip_address=__IP__&user_agent=__UA__&tiktok_callback_param=__callback_param__&tiktok_install_callback=__CALLBACK_URL__
```

- Click Tracking Tag (For iOS and Android)

```
https://s2s.adjust.com/abc123?campaign=__CAMPAIGN_NAME__%26__CAMPAIGN_ID__&adgroup=__AID_NAME__%26__AID__-__PLACEMENT__&creative=__CID_NAME__%26__CID__&s2s=1&idfa=__IDFA__&gps_adid=__GAID__&android_id=__ANDROIDID1__&ip_address=__IP__&user_agent=__UA__&tiktok_callback_param=__callback_param__&tiktok_install_callback=__CALLBACK_URL__
```

## Field Explanation

Field	Description	If required
https://s2s.adjust.com/impression/	Domain name implies impression tracking	✓
https://s2s.adjust.com/	Domain name implies click tracking	✓
abc123?	token ID	✓

# *Adjust*

## Field Explanation

Parameter	Description	Default value	If customizable	If required
<code>campaign</code>	Campaign name and campaign ID	<code>__CAMPAIGN_NAME__%26__CAMPAIGN_ID__</code>	✓	✓
<code>adgroup</code>	Ad name and ad ID	<code>__AID_NAME__%26__AID__</code>	✓	✓
<code>creative</code>	Creative name and creative ID	<code>__CID_NAME__%26__CID__</code>	✓	✓
<code>s2s</code>	when s2s=1, tracking link are not forwarded to the redirected page	1		✓
<code>gps_adid</code>	Google Advertising ID	<code>__GAID__</code>		✓
<code>android_id</code>	Device Android ID	<code>__ANDROIDID1__</code>		✓
<code>idfa</code>	Apple Advertiser ID	<code>__IDFA__</code>		✓
<code>ip_address</code>	The IP of the Device	<code>__IP__</code>		✓
<code>user_agent</code>	Device User Agent	<code>__UA__</code>		✓
<code>tiktok_callback_param</code>	The Ad network unique click identifier	<code>__CALLBACK_PARAM__</code>		✓

# Adjust

## Setup Guide and Notes

---

### Setup Guide:

Go to the “Apps” screen of your Adjust dashboard, expand your app. Hit “New Tracker” at the bottom of the list. Enter publisher named TikTok Ads hit Enter to generate the tag.

### Note:

1. In compliance with GDPR, the Adjust tracking tag will not be used for tracking non-personalized ads running in Europe.
2. Adjust is a CCPA compliant partner and can be used for tracking ads running in the US.
3. Device ID matching is the primary attribution method, when missing IDFA or GAID, Adjust matches the click ID with the IP and UA. Attribution parameters support postback but do not support troubleshooting.
4. Parameter <s2s=1> should be generated from Adjust’s platform, and the letters are required in lower case.
5. TikTok Ads has completed S2S integration with Adjust, click data will be transmitted via S2S.
6. If you want to test install tracking using the same device, its advertising ID and activity history must be cleared from our system, click here to [learn testing console](#).
7. Further question please refer to [Adjust Help Center](#).

# **Double Click**

# **Sample Tracking Tag**

**For Takeover, TopView, In-Feed of landing page, In-Feed of app download**

- Impression Tracking Tag (For iOS and Android)

```
https://ad.doubleclick.net/ddm/trackimp/N1234.2429503TIKTOK/B12345678.123456789;dc_trk_aid=123456789;dc_trk_cid=123456789;ord=__TS__;dc_lat=;dc_rdid=;tag_for_child_redirected_treatment=;tfua=?
```

- Click Tracking Tag 1 (For iOS and Android)

```
https://ad.doubleclick.net/ddm/trackclk/N8994.2429503TIKTOK/B21253414.224661647;dc_trk_aid=422929057;dc_trk_cid=103445659;dc_lat=;dc_rdid=;tag_for_child_redirected_treatment=;tfua=
```

- Click Tracking Tag 2 (For iOS and Android)

```
https://ad.doubleclick.net/ddm/clk/448253173;252121330;r
```

## **Field Explanation**

Field	Description	If required
<code>https://ad.doubleclick.net/ddm/trackimp/</code>	Domain name implies impression tracking	✓
<code>https://ad.doubleclick.net/ddm/trackclk/</code>	Domain name implies click tracking	✓
N1234	The Campaign Manager account ID	✓
2429503TIKTOK	An identifier for a site, based on the site's web address	✓
B12345678	The Campaign Manager campaign ID	✓
123456789	The Campaign Manager placement ID	✓

# Double Click

## Field Explanation

Parameter	Description	Default value	If customizable	If required
dc_trk_aid	Ad ID	N/A	✓	✓
dc_trk_cid	Creative ID	N/A	✓	✓
ord	Timestamp	__TS__		✓
dc_lat	If the user has enabled “Limit Ad Tracking” options	[0 1]		
dc_rdid	Mobile applications to pass resettable device identifiers	N/A		
tag_for_child_directed_treatment	If a request may come from a user under the age of 13	[0 1]		
tfua	If a request may come from a user under the age of 16 (differ by country)	[0 1]		

## Setup Guide and Notes

### Setup Guide :

In your campaign, click New > Tracking to [create a tracking ad](#). Only submit URL link from impressions (image) format tracking tag to TikTok Ads team.

### Notes :

1. DCM can be used for tracking both personalized ads and non-personalized ads running in Europe.
2. DCM is a CCPA compliant partner and can be used for tracking ads running in the US.
3. If the timestamp parameter is <ord=[timestamp]> or <cachebuster=[CACHEBUSTER]> in initial tracking tag, please modify it into <ord= \_\_TS\_\_> or <cachebuster= \_\_TS\_\_> in order to make it work. Notice that, \_\_TS\_\_ is with double underscores before and after and TS in capital.
4. Impressions and clicks data are sent via C2S for DoubleClick.
5. Further question please refer to : [Campaign Manager Help](#) and [Manage placement tag](#)



## Sample Tracking Tag

**For Takeover, TopView, In-Feed of landing page, In-Feed of app download**

### New Tracking Tag (SAS)

- Impression Tracking Tag (For iOS and Android)

```
https://bs.serving-
sys.com/Serving/adServer.bs?cn=display&c=19&pli=1074839924&adid=107884
2475&ord=__TS__
```

- Click Tracking Tag (For iOS and Android)

```
https://bs.serving-
sys.com/Serving/adServer.bs?cn=trd&pli=1074839924&adid=1078842475&ord=
__TS__
```

### Previous Tracking Tag (MDX)

- Impression Tracking Tag (For iOS and Android)

```
https://bs.serving-
sys.com/serving/adServer.bs?cn=display&c=19&mc=imp&pli=29576139&PluID
=0&ord=__TS__&rtu=-1
```

- Click Tracking Tag (For iOS and Android)

```
https://bs.serving-
sys.com/serving/adServer.bs?cn=trd&mc=click&pli=29576139&PluID=0&ord=
__TS__
```

# Sizmek

## Field Explanation

Field	Description			If required	
Previous parameter	Description	Default value	If customizable	SAS	MDX
<a href="https://bs.serving-sys.com/serving/adServer.bs?">https://bs.serving-sys.com/serving/adServer.bs?</a>	Domain name			✓	
<b>cn</b>	Code type	display (for imp trackers) trd (for click trackers)		✓	✓
<b>c</b>	c	19 (for imp trackers)		✓	✓
<b>mc</b>	Tracking type	MDX only imp (for imp trackers) click (for click trackers)			✓
<b>pli</b>	Placement ID	Sizmek Placement ID (pli)		✓	✓
<b>PluID</b>		Sizmek PLU ID			
<b>ord</b>	Timestamp	__TS__		✓	✓
<b>rtu</b>	Redirect URL	A URL (enclosed in \$\$ symbols) or -1			
<b>mb</b>	when mb=1, parameters that are on the tracking link are for mobile tracking	1			
<b>adid</b>	Ad ID	SAS ONLY		✓	



## Setup Guide and Notes

### Setup Guide :

In your campaign, choose publisher named TikTok and generate the tracking tag.

### Notes :

1. Sizmek tags can be used for tracking both personalized and non-personalized ads running in Europe.
2. If the timestamp parameter is <ord=[timestamp]> or <cachebuster=[CACHEBUSTER]> in initial tracking tag, please modify it into <ord= \_\_TS\_\_> or <cachebuster= \_\_TS\_\_> in order to make it work. Notice that ' \_\_TS\_\_ ' is with double underscores before and after and 'TS' in capital.
3. Sizmek is renewing code system globally. The new platform generates the new code format, and the old platform generates the old code format. The difference of new and old format lays on that <pli=xxxxxxxx> represents old code ID while <pli=xxxxxxxxxx> represents new code ID, old code ID is 8 digits while the new one is 10 digits. Also, new code format will have parameter <adid> to represent Ad's ID.
4. Impressions and clicks data are sent via C2S for Sizmek.
5. Further question please refer to: [Sizmek Help Center](#). If client has access to Sizmek, can refer to below links:

SAS: <https://support.sizmek.com/hc/en-us/articles/360028001751-Placement-Tag-Parameters>

MDX: <https://support.sizmek.com/hc/en-us/articles/360034479471-Placement-Tag-Parameters>

# Kochava

## Sample Tracking Tag

**For Takeover, TopView, In-Feed of landing page, In-Feed of app download**

- iOS Impression Tracking Tag

```
https://imp.control.kochava.com/track/impression?campaign_id=sample&network_id=7116
&campaign_name=__CAMPAIGN_NAME__&click_timestamp=__TS__&creative_id=__CID__
&creative_type=__CTYPE__&device_id=__IDFA__&device_id_type=idfa&device_ua=__UA__
&impression_id=__CALLBACK_PARAM__&ip_address=__IP__&open_udid=__OPENUDID__&
os=__OS__&site_id=__AID__&sub_site_id=__CSITE__
```

- iOS Click Tracking Tag

```
https://control.kochava.com/v1/cpi/click?campaign_id=sample&network_id=7116&campai
n_name=__CAMPAIGN_NAME__&click_id=__CALLBACK_PARAM__&click_timestamp=__TS__
&creative_id=__CID__&creative_type=__CTYPE__&c_id=__CAMPAIGN_ID__&device_id=__
IDFA__&device_id_type=idfa&device_ua=__UA__&ip_address=__IP__&open_udid=__OPEN
UDID__&os=__OS__&pbr=1&site_id=__AID__&sub_site_id=__CSITE__
```

- Android Impression Tracking Tag

```
https://imp.control.kochava.com/track/impression?campaign_id=sample&network_id=7117
&android_id=__ANDROIDID1__&campaign_name=__CAMPAIGN_NAME__&click_timestam
p=__TS__&creative_id=__CID__&creative_type=__CTYPE__&device_id=__GAID__&device_i
d_type=adid&device_ua=__UA__&imei=__IMEI__&impression_id=__CALLBACK_PARAM__&
ip_address=__IP__&mac=__MAC1__&open_udid=__OPENUDID__&os=__OS__&site_id=__
AID__&sub_site_id=__CSITE__
```

- Android Click Tracking Tag

```
https://control.kochava.com/v1/cpi/click?campaign_id=sample&network_id=7117&android
_id=__ANDROIDID1__&campaign_name=__CAMPAIGN_NAME__&click_id=__CALLBACK_PA
RAM__&click_timestamp=__TS__&creative_id=__CID__&creative_type=__CTYPE__&c_id=__
_CAMPAIGN_ID__&device_id=__GAID__&device_id_type=adid&device_ua=__UA__&imei=___
IMEI__&ip_address=__IP__&mac=__MAC1__&open_udid=__OPENUDID__&os=__OS__&p
br=1&site_id=__AID__&sub_site_id=__CSITE__
```

# Kochava

## Field Explanation

Field	Description	If required		
https://imp.control.kochava.com/tracking/impression?	Domain name implies impression tracking	✓		
https://control.kochava.com/v1/cpi/click?	Domain name implies click tracking	✓		
Parameter	Description	Default value	If customizable	If required
<code>campaign_id</code>	Campaign information	N/A		✓
<code>sub_site_id</code>	Creative name & ID	<code>__CID_NAME__(__CID__)</code>	✓	
<code>site_id</code>	Campaign name & ID	<code>__CAMPAIGN_NAME__(__CAMPAIGN_ID__)</code>	✓	✓
<code>creative_type</code>	Creative type	<code>__CTYPE__</code>	✓	
<code>creative_id</code>	Ad name and Ad ID	<code>__AID_NAME__(__AID__)</code>	✓	
<code>network_id</code>	7116-iOS / 7117-Android/8429-iOS&Android	[7116 7117 8429]		✓
<code>os</code>	Operating system 0-Android / 1-iOS / 2-WP / 3-Others	<code>__OS__</code>		
<code>open_udid</code>	OpenUDID	<code>__OPENUDID__</code>		
<code>mac</code>	Unique identifier assigned to a network interface controller	<code>__MAC1__</code>		
<code>ip_address</code>	The IP of the Device	<code>__IP__</code>		✓
<code>imei</code>	International Mobile Equipment Identity	<code>__IMEI__</code>		

# Kochava

## Field Explanation

Parameter	Description	Default value	If customizable	If required
device_ua	Device User Agent	_UA_		✓
device_id_type	Device ID type	adid(Android) IDFA(iOS)		✓
device_id	Device ID	_GAID_(Android) _IDFA_(iOS)		✓
click_timestamp	Timestamp	_TS_		
impression_id	The Ad network unique impression identifier	_CALLBACK_PARAM_		✓
click_id	The Ad network unique click identifier	_CALLBACK_PARAM_		✓
android_id	Device Android ID	_ANDROIDID1_		
pbr	when pbr=1, tracking link are not forwarded to the redirected page	1		✓

## Setup Guide and Notes

### Setup Guide :

Select App Tools>Partner Configuration, locate the desired network and select ByteDance Global - Android or ByteDance Global - iOS>Reconciliation.

### Notes :

1. In compliance with GDPR, the Kochava tracking tag will not be used for tracking non-personalized ads running in Europe.
2. Kochava is a CCPA compliant partner and can be used for tracking ads running in the US.
3. TikTok Ads has completed S2S integration with Kochava, clicks data will be transmitted via S2S.
4. Further question please refer to : [Kochava Help Center](#)

# **Branch**

# **Sample Tracking Tag**

**For Takeover, TopView, In-feed of landing page, In-feed of app download**

- IOS Impression tracking tag

```
https://impression.link/impression?branch_key=key_live_hkDytPACtipny3N9XmnbZlapBDdj4WIL&%243p=a_tiktok_ads&%24idfa=__IDFA__&%24s2s=true&~ad_set_id=__AID__&~ad_set_name=__AID_NAME__&~branch_ad_format=App%20Only&~campaign=__CAMPAIGN_NAME__&device_ip=__IP__&~campaign_id=__CAMPAIGN_ID__&~click_id=__callback_param__&~creative_id=__CID__&~creative_name=__CID_NAME__&~feature=paid%20advertising&~placement=__PLACEMENT__
```

- IOS Click tracking tag

```
https://xxxxxxxxx.app.link/SFqK3AAkH5?%243p=a_tiktok_ads&%24idfa=__IDFA__&%24s2s=true&~ad_set_id=__AID__&~ad_set_name=__AID_NAME__&~campaign=__CAMPAIGN_NAME__&device_ip=__IP__&~campaign_id=__CAMPAIGN_ID__&~click_id=__callback_param__&~creative_id=__CID__&~creative_name=__CID_NAME__&~placement=__PLACEMENT__
```

- Android Impression tracking tag

```
https://impression.link/impression?branch_key=key_live_hkDytPACtipny3N9XmnbZlapBDdj4WIL&%243p=a_tiktok_ads&%24aaid=__GAID__&%24s2s=true&~ad_set_id=__AID__&~ad_set_name=__AID_NAME__&~branch_ad_format=App%20Only&~campaign=__CAMPAIGN_NAME__&device_ip=__IP__&~campaign_id=__CAMPAIGN_ID__&~click_id=__callback_param__&~creative_id=__CID__&~creative_name=__CID_NAME__&~feature=paid%20advertising&~placement=__PLACEMENT__
```

- Android Click tracking tag

```
https://branchster.app.link/Qh6IRWOkH5?%243p=a_tiktok_ads&%24aaid=__GAID__&%24s2s=true&~ad_set_id=__AID__&~ad_set_name=__AID_NAME__&~campaign=__CAMPAIGN_NAME__&device_ip=__IP__&~campaign_id=__CAMPAIGN_ID__&~click_id=__callback_param__&~creative_id=__CID__&~creative_name=__CID_NAME__&~placement=__PLACEMENT__
```

# Branch

## Field Explanation

Field	Description	If required		
https://impressions.link/impressions?	Domain name implies impression tracking	✓		
https://xxxxxxxxx.app.link/ExDxN1GueU?	Domain name implies click tracking	✓		
Parameter	Description	Default value	If customizable	If required
<b>branch_key</b>	tracker ID (imp only)	N/A		✓
<b>3p</b>	Publisher name	a_tiktok_ads		✓
<b>campaign</b>	Campaign name	__CAMPAIGN_NAME__	✓	✓
<b>campaign_id</b>	Campaign ID	__CAMPAIGN_ID__	✓	✓
<b>ad_set_name</b>	Ad name	__AID_NAME__	✓	✓
<b>ad_set_id</b>	Ad ID	__AID__	✓	✓
<b>creative_name</b>	Creative name	__CID_NAME__	✓	✓
<b>creative_id</b>	Creative ID	__CID__	✓	✓
<b>aaid</b>	Google Advertising ID	__GAID__		✓
<b>idfa</b>	iOS device identifier	__IDFA__		✓
<b>click_id</b>	The ad network unique click identifier	__CALLBACK_PARAM__		✓
<b>branch_ad_format</b>	Ad format (imp only)	App%20Only		✓
<b>feature</b>	Tracking type (imp only)	paid%20advertising		✓
<b>Placement</b>	App name(TT, NewsFeed_Series, Helo,Vigo, Pangle)	__PLACEMENT__		
<b>device_ip</b>	The IP of the device	__IP__		✓
<b>%24s2s</b>	s2s	TRUE		

# **Branch**

## **Setup Guide and Notes**

---

### **Setup Guide :**

Advertisers choose publisher named **TikTok Ads** in Branch UI and generate the tracking tag.

### **Notes :**

1. In compliance with GDPR, the Branch tracking tag will not be used for tracking non-personalized ads running in Europe.
2. Branch is a CCPA compliant partner and can be used for tracking ads running in the US.
3. TikTok Ads has completed server to server integration with Branch, clicks data will be transmitted via S2S.
4. Further question please refer to your Branch account manager.

# **FlashTalking**

## **Sample Tracking Tag**

### **For Takeover, TopView, In-Feed of landing page**

- Impression Tracking Tag (servedby, for both iOS and Android)

```
https://servedby.flashtalking.com/imp/1/105980;3683397;201;pixel;TikTok;Tracker/?ft_cust  
om=__CAMPAIGN_NAME__&ft_section=__AID_NAME__&cachebuster=__TS__
```

- Click Tracking Tag (servedby, for both iOS and Android)

```
https://servedby.flashtalking.com/click/1/105980;3683397;50126;211;0/?ft_custom=__CA  
MPAIGN_NAME__&ft_section=__AID_NAME&ft_width=1&ft_height=1&url=22844883
```

## **Field Explanation**

Field	Description	If required
<a href="https://servedby.flashtalking.com/imp/1/">https://servedby.flashtalking.com/imp/1/</a>	Domain name implies impression tracking	✓
<a href="https://servedby.flashtalking.com/click/1/">https://servedby.flashtalking.com/click/1/</a>	Domain name implies click tracking	✓
105980	Ad server ID	✓
3683397	Campaign ID	✓
50126	Placement ID	✓ <small>(Only for click tracking)</small>
211	Creative ID	✓
Pixel/0	Impression/click event	✓
TikTok	Site name	✓ <small>(Only for imp tracking)</small>

# ***FlashTalking***

## **Field Explanation**

Parameter	Description	Default value	If customizable	If required
<b>ft_custom</b>	Campaign name	<u>_CAMPAIGN_NAME_</u>	✓	✓
<b>ft_section</b>	Ad name	<u>_AID_NAME_</u>	✓	✓
<b>cachebuster</b>	Timestamp	<u>_TS_</u>		✓ (imp only)
<b>ft_width</b>	Pixel size	1		✓ (click only)
<b>ft_height</b>	Pixel size	1		✓ (click only)
<b>url</b>	Landing page ID	N/A		✓ (click only)

## **Sample Tracking Tag**

### **For Takeover, TopView, In-Feed of landing page**

- Impression Tracking Tag (D9, for both iOS and Android)

```
https://d9.flashtalking.com/img/img.png?D9v.CampID=3175&D9r.DeviceID=true&D9c=ftImp  
&D9v.CCampID=123375&D9c.placementId=4494394&cb=__TS__
```

- Click Tracking Tag (D9, for both iOS and Android)

```
https://servedby.flashtalking.com/click/8/123375;4494394;50126;211;0/?ft_width=1&ft_he  
ight=1&url=27279319
```

# FlashTalking

## Field Explanation

Field	Description			If required
<a href="https://d9.flashtalking.com/img/img.png?">https://d9.flashtalking.com/img/img.png?</a>	Domain name implies impression tracking			✓
<a href="https://servedby.flashtalking.com/click/1/">https://servedby.flashtalking.com/click/1/</a>	Domain name implies click tracking			✓
D9v.CampID=3175	HardCoded Service ID			✓
D9r.DeviceID=true	Recording setting, leave TRUE			✓
D9c=ftImp	Tracking type, leave as is			✓
D9v.CCampID=123375	Campaign ID, will be prepopulated			✓
D9c.placementId=4523810	Placement ID, will be prepopulated			✓
Parameter	Description	Default value	If customizable	If required
ft_custom	Data Capture Field	Per Advertiser	✓	Per Advertiser
ft_section	Data Capture Field	Per Advertiser	✓	Per Advertiser
cb	Timestamp (imp only)	__TS__		✓
url	Landing page ID (clk only)	N/A		✓

# **FlashTalking**

## **Setup Guide and Notes**

---

### **Setup Guide :**

Advertisers please choose site name TikTok and generate the tracking tag.

### **Notes :**

1. Flashtalking tracking tag can be used for tracking both personalized and non-personalized ads running in Europe.
2. Flashtalking is a CCPA compliant partner and can be used for tracking ads running in the US.
3. If the timestamp parameter is <cachebuster=[CACHEBUSTER]> in initial tracking tag, please modify it into <cachebuster=\_\_TS\_\_> in order to make it work. Notice that, \_\_TS\_\_ is with double underline before and after and TS in capital.
4. Impressions and clicks will be sent via C2S to FlashTalking.
5. Further question please contact : [UKTechAccountManagement@flashtalking.com](mailto:UKTechAccountManagement@flashtalking.com)

# Adform

## Sample Tracking Tag

### For Takeover, TopView and In-Feed of landing page

- Impression tracking tag (For iOS and Android)

```
https://track.adform.net/adfserve/?bn=31779888;1x1inv=1;srctype=3;ord=__TS__
```

- Click tracking tag (For iOS and Android)

```
https://track.adform.net/C/?bn=31779888;cpdir=http://www.example.com
```

```
https://track.adform.net/C/?bn=35311544
```

## Field Explanation

Field	Description		If required	
https://xxx.adform.net/adfserve/	Domain name implies impression tracking		✓	
Parameter	Description	Default value	If customizable	If required
<b>bn</b>	Tracker ID	N/A		✓
<b>1x1inv</b>	1x1 pixel tag	1		✓
<b>srctype</b>	Imp tracking type	3		✓
<b>ord</b>	Timestamp	__TS__		✓
<b>cpdir</b>	Redirect	N/A	✓	



## Setup Guide and Notes

---

### Setup Guide:

Advertisers get tracking tag file from adform directly.

### Notes:

1. Adform tracking tag can be used for tracking both personalized and non-personalized ads running in Europe.
2. Adform is a CCPA compliant partner and can be used for tracking ads running in the US.
3. There's no mature click tracking tag provided. Ad operation team needs to join adform target URL and landing page URL into a tracking tag. Steps:
  1. Find "Tag 1. '1x1' session "Target URL" in the adform tracking file provided by advertisers (usually in txt format).
  2. Target URL sample: <http://track.adform.net/C/bn=31779888>
  3. Add `;cpdir=https://www.example.com` after the target URL. Please replace the https URL with advertisers' ad landing page URL.
  4. After previous steps, we will get the click tracking tag, sample:  
<https://track.adform.net/C/?bn=31779888;cpdir=https://www.example.com>
4. If the timestamp parameter is `<ord=[timestamp]>` or `<cachebuster=[CACHEBUSTER]>` in initial tracking tag, please modify it into `<ord= __TS__>` or `<cachebuster= __TS__>` in order to make it work. Notice that, `__TS__` is with double underline before and after and TS in capital.
5. Impressions and clicks data are sent via C2S for Adform.
6. Further question please refer to [Adform Help Center](#), or send your question email to [technical@adform.com](mailto:technical@adform.com)

# Singular

# Sample Tracking Tag

**For Takeover, TopView, In-feed of landing page, In-feed of app download**

- iOS Impression Tracking Tag (Singular links)

```
https://i.sng.link/D59c0/b9r3?idfa=__IDFA__&andi=__ANDROIDID1__&aifa=__GAID__&redirect=false&pscid=__AID__&cl=__CALLBACK_PARAM__&ip=__IP__&pcrn=__CID_NAME__&pcid=__CAMPAIGN_ID__&pcn=__CAMPAIGN_NAME__&pcrid=__CID__&pscna=__AID_NAME__
```

- iOS Click Tracking Tag (Singular links)

```
https://singularassist.sng.link/D59c0/b9r3?idfa=__IDFA__&andi=__ANDROIDID1__&aifa=__GAID__&redirect=false&pscid=__AID__&cl=__CALLBACK_PARAM__&ip=__IP__&pcrn=__CID_NAME__&pcid=__CAMPAIGN_ID__&pcn=__CAMPAIGN_NAME__&pcrid=__CID__&pscna=__AID_NAME__
```

- Android Impression Tracking Tag (Singular links)

```
https://i.sng.link/D59c0/jrgp?idfa=__IDFA__&andi=__ANDROIDID1__&aifa=__GAID__&redirect=false&pscid=__AID__&cl=__CALLBACK_PARAM__&ip=__IP__&pcrn=__CID_NAME__&pcid=__CAMPAIGN_ID__&pcn=__CAMPAIGN_NAME__&pcrid=__CID__&pscna=__AID_NAME__
```

- Android Click Tracking Tag (Singular links)

```
https://singularassist.sng.link/D59c0/jrgp?idfa=__IDFA__&andi=__ANDROIDID1__&aifa=__GAID__&redirect=false&pscid=__AID__&cl=__CALLBACK_PARAM__&ip=__IP__&pcrn=__CID_NAME__&pcid=__CAMPAIGN_ID__&pcn=__CAMPAIGN_NAME__&pcrid=__CID__&pscna=__AID_NAME__
```

# Singular

## Sample Tracking Tag

**For Takeover, TopView, In-feed of landing page, In-feed of app download**

- iOS Impression Tracking Tag (Legacy links)

```
https://i.singular.net/api/v1/imp?st=649081024882&andi=__ANDROIDID1__&aifa=__GAID__&idfa=__IDFA__&redirect=false&cl=__CALLBACK_PARAM__&ip=__IP__&pcrn=__CID_NAME__&pcid=__CAMPAIGN_ID__&pcn=__CAMPAIGN_NAME__&pscid=__AID__&pcrid=__CID__&pscn=__AID_NAME__&h=cb58a2cb1b1f6ce6d1342e1cb68d2f4b3528e97d
```

- iOS Click Tracking Tag (Legacy links)

```
https://c.singular.net/api/v1/ad?st=649081024882&andi=__ANDROIDID1__&aifa=__GAID__&idfa=__IDFA__&redirect=false&cl=__CALLBACK_PARAM__&ip=__IP__&pcrn=__CID_NAME__&pcid=__CAMPAIGN_ID__&pcn=__CAMPAIGN_NAME__&pscid=__AID__&pcrid=__CID__&pscn=__AID_NAME__&h=cb58a2cb1b1f6ce6d1342e1cb68d2f4b3528e97d
```

- Android Impression Tracking Tag (Legacy links)

```
https://i.singular.net/api/v1/imp?st=648207566119&andi=__ANDROIDID1__&aifa=__GAID__&idfa=__IDFA__&redirect=false&cl=__CALLBACK_PARAM__&ip=__IP__&pcrn=__CID_NAME__&pcid=__CAMPAIGN_ID__&pcn=__CAMPAIGN_NAME__&pscid=__AID__&pcrid=__CID__&pscn=__AID_NAME__&h=84876ee3d637a9881796b3077b63076076d8ce95
```

- Android Click Tracking Tag (Legacy links)

```
https://c.singular.net/api/v1/ad?st=648207566119&andi=__ANDROIDID1__&aifa=__GAID__&idfa=__IDFA__&redirect=false&cl=__CALLBACK_PARAM__&ip=__IP__&pcrn=__CID_NAME__&pcid=__CAMPAIGN_ID__&pcn=__CAMPAIGN_NAME__&pscid=__AID__&pcrid=__CID__&pscn=__AID_NAME__&h=84876ee3d637a9881796b3077b63076076d8ce95
```

# Singular

## Field Explanation

Field	Description	If required		
<code>https://i.singular.net/api/v1/imp?</code>	Domain name implies impression tracking	✓		
<code>https://c.singular.net/api/v1/ad?</code>	Domain name implies click tracking	✓		
<code>https://i.sng.link/D59c0/c84n?</code>	Domain name implies impression tracking	✓		
<code>https://singularassistant.sng.link/D59c0/c84n?</code>	Domain name implies click tracking	✓		
Parameter	Description	Default value	If customizable	If required
<code>st</code>	Tracker ID (legacy link only)	N/A		✓
<code>andi</code>	Android ID	<code>_ANDROIDID1_</code>	✓	✓
<code>aifa</code>	Google Advertising ID	<code>_GAID_</code>	✓	✓
<code>idfa</code>	iOS device identifier	<code>_IDFA_</code>	✓	✓
<code>pscid</code>	Ad ID	<code>_AID_</code>	✓	✓
<code>pscn</code>	Ad name	<code>_AID_NAME_</code>	✓	✓
<code>pcrid</code>	Creative ID	<code>_CID_</code>	✓	✓
<code>pcrn</code>	Creative name	<code>_CID_NAME_</code>	✓	✓
<code>pcn</code>	Campaign name	<code>_CAMPAIGN_NAME_</code>	✓	✓
<code>pcid</code>	Campaign ID	<code>_CAMPAIGN_ID_</code>	✓	✓
<code>cl</code>	The Ad network unique click identifier	<code>_CALLBACK_PARAM_</code>		✓
<code>redirect</code>	No redirect	False		✓
<code>h</code>	link_hash (legacy link only)	N/A		✓
<code>ip</code>	IP address	<code>_IP_</code>		✓

# *Singular*

## Setup Guide and Notes

---

### Setup Guide :

Go to Attribution > [Create Link](#). Select the App, Site, and Destination URL. Start typing ByteDance and select it from the optional list of sources.

### Notes :

1. In compliance with GDPR, the Singular tracking tag will not be used for tracking non-personalized ads running in Europe.
2. Singular is a CCPA compliant partner and can be used for tracking ads running in the US.
3. TikTok Ads has completed S2S integration with Singular, click data will be transmitted via S2S.
4. Further question please refer to : [Singular Help Center](#)



## Sample Tracking Tag

**For Takeover, TopView, In-feed of landing page, In-feed of app download**

- iOS impression tracking tag

```
https://track.tenjin.io/v0/top_buzz/sample?bundle_id=sample&platform=ios&click_id=__CALLBACK_PARAM__&advertising_id=__IDFA__&campaign_id=__AID__&campaign_name=__AID_NAME__&creative_name=__CID_NAME__&impression=true
```

- iOS click tracking tag

```
https://track.tenjin.io/v0/top_buzz/sample?bundle_id=sample&platform=ios&click_id=__CALLBACK_PARAM__&advertising_id=__IDFA__&campaign_id=__AID__&campaign_name=__AID_NAME__&creative_name=__CID_NAME__
```

- Android impression tracking tag

```
https://track.tenjin.io/v0/top_buzz/sample?bundle_id=sample&platform=ios&click_id=__CALLBACK_PARAM__&advertising_id=__GAID__&campaign_id=__AID__&campaign_name=__AID_NAME__&creative_name=__CID_NAME__&impression=true
```

- Android click tracking tag

```
https://track.tenjin.io/v0/top_buzz/sample?bundle_id=sample&platform=ios&click_id=__CALLBACK_PARAM__&advertising_id=__GAID__&campaign_id=__AID__&campaign_name=__AID_NAME__&creative_name=__CID_NAME__
```

# Tenjin

## Field Explanation

Field	Description			If required
<code>https://track.tenjin.io/v0/top_buzz/</code>	Domain name			✓
<code>sample?</code>	Implies landing page ID or install package ID, generated automatically			✓
Parameter	Description	Default value	If customizable	If required
<code>bundle_id</code>	Tracking ID	N/A		✓
<code>platform</code>	Operating system	iOS or Android		✓
<code>click_id</code>	The ad network unique click identifier	<code>__CALLBACK_PARAM__</code>		✓
<code>advertising_id</code>	Device ID	<code>__IDFA__</code> or <code>__GAID__</code>		✓
<code>campaign_id</code>	Ad ID	<code>__AID__</code>	✓	✓
<code>campaign_name</code>	Ad name	<code>__AID_NAME__</code>	✓	✓
<code>creative_name</code>	Creative name	<code>__CID_NAME__</code>	✓	✓
<code>impression</code>	Impression tracking	true		✓

## Setup Guide and Notes

### Setup Guide :

Advertisers please choose site named TikTok Ads in Tenjin UI and generate the tracking tag.

### Notes :

1. In compliance with GDPR, the Tenjin tracking tag will not be used for tracking non-personalized ads running in Europe.
2. Tenjin is a CCPA compliant partner and can be used for tracking ads running in the US.
3. TikTok Ads has completed server to server integration with Tenjin, clicks data will be transmitted via S2S.
4. Further question please refer to your Tenjin account manager.

# Notes

---

## ① If required

If this parameter is marked as “v” here, it means it's required in the tracking tag.

## ② If customizable

Refers to whether the parameter's value can be manually modified in the third party vendor background.

If this parameter is marked as “v” here, it's available to modify or custom based on advertise's need.

Example: parameter <c=\_\_CAMPAIGN\_NAME\_\_> can custom into  
<c=TikTok\_iOS\_US\_New\_All\_CPM\_022019>;

If this parameter is marked as N/A here, it means it's unavailable to custom.

Example: parameter<idfa=\_\_IDFA\_\_> can't be customized.

## ③ Add <af\_prt=account name> in anywhere in the tracking tag

Tracking tags listed in our document are only sample, advertisers can add other parameters in the link if needed. For example, AppsFlyer can add <af\_prt=agency AF account name> to authorize agency receiving data.

Any other parameter added into the tag should follow the format  
<&parameter=\_\_MACRO\_\_>. New parameter is free to place anywhere after domain name.

# FAQs

---

## **Q. Can we support sequential click tracking?**

Yes, we can support sequential click tracking for some 3rd parties' tags: FlashTalking, Sizmek and Adform.

For all other 3<sup>rd</sup> parties we don't support sequential tracking. Please generate and provide tracking tag and landing page/download link separately. TikTok Ads is not responsible for larger than normal discrepancies caused by using sequential tracking for partners other than Flashtalking, Sizmek and Adform.

## **Q. Is this document for all markets, is there a difference between tracking fields for different countries?**

This document is for all markets. However:

1. In compliance with GDPR, non-personalized ads delivered to Europe market are only allowed to use DoubleClick, Sizmek, FlashTalking and Adform as impression/click tracking vendors.
2. For ads delivered in the US, we can only use tracking tags from AppsFlyer, Adjust, DoubleClick, Kochava, Branch, Singular, Tenjin, Flashtalking, Adform for impression and click tracking.

## **Q. Does this manual apply to both auction and reservation ads?**

This manual only applies to reservation ads, for instructions about auction ads please consult with your account representative.